NETGEAR

NETGEAR GS108E Managed Gigabit Ethernet (10/100/1000) Black



Brand : NETGEAR

Product code: GS108E-300PES

Product name : GS108E

8 x 10/100/1000 Base-T RJ-45, 4K MAC, 192 KB buffer, 16 Gbps, 32 VLAN

NETGEAR GS108E Managed Gigabit Ethernet (10/100/1000) Black:



Gigabit Plus Switch Series (GS108E)
8-Port Gigabit Plus Switch

On top of the plug-N-play Gigabit Ethernet connectivity, these switches also offer essential networking features such as VLAN, QoS, IGMP Snooping, Link Aggregation / Port Trunking on models with 16 ports or more, rate limiting and traffic monitoring. NETGEAR Plus Switches are an exceptional value for businesses looking to add intelligence to their network beyond what unmanaged switches can provide. NETGEAR GS108E. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. Full duplex. MAC address table: 4000 entries, Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3az, IEEE 802.3i, IEEE.... DC input voltage: 12 V. Power connector: DC-in jack

Management features	
Switch type *	Managed
Quality of Service (QoS) support	✔
Web-based management	✔
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity *	8
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)
Power connector	DC-in jack
Network	
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
10G support *	✘
Port mirroring	✔
Full duplex	✔
Broadcast storm control	✔
Rate limiting	✔
VLAN support	✔
Virtual LAN features	Port-based VLAN
Number of VLANs	32
Data transmission	
Switching capacity *	16 Gbit/s
MAC address table *	4000 entries
Jumbo frames support	✔
Security	
DHCP features	DHCP client
IGMP snooping	✔
MAC address filtering	✔
Password protection	✔
Queue scheduling algorithms	Weighted Round Robin (WRR)

Design	
Product colour	Black
LED indicators	✔
Performance	
Firmware upgradeable	✔
Mean time between failures (MTBF)	2525259 h
Power	
Power supply included *	✔
DC input voltage	12 V
Input current	1 A
Power consumption (max)	4 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	0 - 90%
Storage relative humidity (H-H)	0 - 95%
Operating altitude	0 - 3000 m
Weight & dimensions	
Width	158 mm
Depth	101 mm
Height	29 mm
Weight	510 g
Packaging data	
Package width	180 mm
Package depth	100 mm
Package height	125 mm
Package weight	794 g
Sustainability	
Sustainability certificates	ENERGY STAR
Certificates	
Compliance certificates	CE

Multicast features	
Multicast support	✔
Number of multicast groups filtered	128

Design	
Rack mounting *	✕

Logistics data	
Harmonized System (HS) code	85176990



0606449103403



606449103403



0606449103397



606449103397



5715063491928



5904268090221

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date