TP-Link ARCHER C24 wireless router Fast Ethernet Dual-band (2.4 GHz / 5 GHz) White





Brand : TP-Link

Product code: ARCHER C24

Product name : ARCHER C24

TP-Link ARCHER C24. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 433 Mbit/s. Ethernet LAN interface type: Fast Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Security algorithms: WEP, WPA, WPA2. Product type: Tabletop router, Product colour: White. Compliance certificates: RoHS

WAN connection	
Ethernet WAN *	✔
DSL WAN *	✘
SIM card slot *	✘
3G/4G USB modem compatibility *	✘
Wireless LAN features	
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max) *	433 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Network	
Ethernet LAN *	✔
Ethernet LAN interface type *	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Mobile network	
3G	✘
4G	✘
Ports & interfaces	
Ethernet LAN (RJ-45) ports *	5
USB port *	✘
Memory card slot(s)	✘
DC-in jack	✔
Management features	
Quality of Service (QoS) support	✔
Reset button	✔
WPS push button	✔

Protocols	
DHCP client	✔
DHCP server	✔
Design	
Product colour	White
Product type *	Tabletop router
Certificates	
Compliance certificates	RoHS
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	✔
Quick installation guide	✔
Sustainability	
Sustainability compliance	✔
Antenna	
Antenna design *	External
Antennas quantity	4
Features	
Built-in processor	✔
Processor cores	1
Power	
Power source type *	AC
Output voltage	9 V
Output current	0.6 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Security	
Security algorithms	WEP, WPA, WPA2
Firewall	✔
Parental control	✔
URL filtering	✔

Weight & dimensions	
Width	115 mm
Depth	106.7 mm
Height	24.3 mm

6935364089474

1210002615853

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date